

Amendments to the Claims:

This listing of Claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A method for control of usage of content, wherein protected content exists being usage restricted by one or more first usage rights specifying one or more usage restrictions and/or one or more usage permissions of the protected content at a user device, the method comprising the steps of:

- obtaining at the user device a first content encryption key,
- obtaining the content at the user device from the protected content in accordance with the one or more first usage rights by decrypting the protected content by ~~[[a]]~~ the first content encryption key in a first secure environment of the user device and by accessing the decrypted content in the first secure environment,
- defining at least one usage right at the user device, the at least one defined usage right specifying one or more usage restrictions and/or one or more usage permissions of the content at a recipient device and the at least one defined usage right comprising a temporal restriction,
- verifying that the at least one defined usage right is a subset of the one or more first usage rights,
- generating at the user device integrity protection information for the at least one defined usage right,
- encrypting the content with a content encryption key,
- obtaining at the user device a key encryption key associated with the recipient device and/or an operator of the recipient device,
- encrypting the content encryption key with ~~[[a]]~~ the key encryption key ~~associated with the recipient device and/or an operator of the recipient device,~~
- communicating the encrypted content, the at least one defined usage right, the encrypted content encryption key, and the integrity protection information to the recipient device,
- restricting the one or more first usage rights in consequence of the definition and/or the communication of the at least one defined usage right to the recipient device,

- verifying at the recipient device the integrity of the at least one defined usage right based on the integrity protection information,
- decrypting at the recipient device the encrypted content encryption key with a decryption key corresponding to the key encryption key,
- decrypting the encrypted content with the content encryption key in a secure environment of the recipient device,
- applying the at least one defined usage right to the content in the secure environment,
- using the content at the recipient device according to the applied at least one usage right,
- ~~- restricting or blocking or deleting the at least one defined usage right at the recipient device before the expiry of the temporal restriction,~~
- generating by the recipient device at least one received usage right that is a subset of the at least one defined usage right,
- restricting or blocking or deleting the at least one defined usage right at the recipient device before the expiry of the temporal restriction,
- communicating an indication of the restricting or blocking or deleting from the recipient device to the user device, the indication comprising the at least one received usage right,
- applying the at least one received usage right at the user device after the receipt of the indication from the recipient device until the expiry of the temporal restriction, and
- abolishing the restriction of the one or more first usage rights when the temporal restriction expires, ~~wherein the restricting or blocking or deleting step, the second generating step, the second communicating step, the second applying step, and the abolishing step are executed in sequence one after another.~~

2-4. (Canceled)

5. (Previously Presented) The method according to claim 1, further comprising the steps of

- recognizing by the user device that the at least one received usage right relates to the at least one defined usage right and
- using the content at the user device according to the at least one first usage right even within the time upon the expiration of the temporal restriction.

6. (Previously Presented) The method according to claim 1, wherein the step of communicating the at least one defined usage right to the recipient device is executed by

- communicating the at least one defined usage right from the user device to a rights server,
 - associating by the rights server the at least one defined usage right with authorization information indicating a rights issuer authorization for the at least one defined usage right to the recipient device,
 - communicating the at least one defined usage right and the authorization information from the rights server to the recipient device,
- and the recipient device verifies the rights issuer authorization based on the received authorization information.

7. (Previously Presented) The method according to claim 1 further comprising the step of communicating to a charging server an indication about the communication of the at least one defined usage right.

8. (Previously Presented) The method according to claim 1, wherein an input unit of the user device receives at least one instruction from a user for defining the at least one usage right.

9. (Previously Presented) The method according to claim 1 further comprising the step of defining at least one further usage right for at least one further recipient device for controlling the usage of the content at the at least one further device.

10. (Currently Amended) A user device for controlling a usage of content at a recipient device, the user device comprising:

at least a transmission unit and a processing unit and further a receiving unit, wherein protected content exists being usage restricted by one or more first usage rights specifying one or more usage restrictions and/or one or more usage permissions of the protected content at the user device, and

the processing unit being adapted to obtain a first content encryption key and obtain the content from the protected content in accordance with the one or more first usage rights by decrypting the protected content with a first content encryption key in a first secure environment of the user device and by accessing the decrypted content in the first secure environment, to define at least one usage right specifying one or more usage restrictions and/or one or more usage permissions of the content at the recipient device, the at least one defined usage right comprising a temporal restriction, to verify that the at least one defined usage right is a subset of the one or more first usage rights, to generate integrity protection information for the at least one defined usage right, to encrypt the content with a content encryption key, to obtain a key encryption key associated with the recipient device and/or an operator of the recipient device, to encrypt the content encryption key with [[a]] the key encryption key associated with the recipient device and/or an operator of the recipient device, the transmission unit being adapted to send the encrypted content, the at least one defined usage right, the encrypted content encryption key, and the integrity protection information to the recipient device, and the processing unit being adapted to restrict the one or more first usage rights in consequence of the definition and/or the communication of the at least one defined usage right to the recipient device, the receiving unit is adapted to receive an indication of a restricting or a blocking or a deleting of the at least one defined usage rights from the recipient device before the expiry of the temporal restriction, wherein the indication comprises at least one received usage right that is a subset of the at least one defined usage right, the processing unit is adapted to apply the at least one received usage right after the receipt of the indication from the recipient device until the expiry of the temporal restriction and to abolish the restriction of the one or more first usage rights

~~the when temporal restriction expires, wherein the receiving unit receives the indication of the restricting or the blocking or the deleting of the at least one defined usage rights, the processing unit applies the at least one received usage right until the expiry of the temporal restriction and abolishes the restriction of the one or more first usage rights when temporal restriction expires in sequence one after another.~~

11. (Previously Presented) The user device according to claim 10, the user device being adapted to load the protected content via a receiving unit and to store the protected content at a storage and/or to store pre-installed protected content at the storage.

12-14. (Canceled)

15. (Previously Presented) The user device according to claim 10, the user device being adapted to recognize that the at least one received usage right relates to the at least one defined usage right and to use the content according to the at least one first usage right even within the time upon the expiration of the temporal restriction.

16. (Previously Presented) The user device according to claim 10, wherein the processing unit is adapted to generate an instruction for a rights server to associate the at least one defined usage right with authorization information indicating a rights issuer authorization for the at least one defined usage right to the recipient device and to communicate the at least one defined usage right and the authorization information to the recipient device, and the transmission unit is adapted send the instruction and the at least one defined usage right to the rights server.

17. (Previously Presented) The user device according to claim 10, wherein the transmission unit is adapted to send to a charging server an indication about the communication of the at least one defined usage right to the recipient device.

18. (Previously Presented) The user device according to claim 10, the user device further comprising an input unit which is adapted to receive at least one instruction from a user and the processing unit is adapted to define the at least one usage right based on the at least one instruction from the user.

19. (Previously Presented) The user device according to claim 10, wherein the processing unit is adapted to define at least one further usage right for at least one further recipient device for controlling the usage of the content at the at least one further recipient device.

20. (Currently Amended) A recipient device for a controlled usage of content, the recipient device comprising at least a receiving unit and processing unit and further a transmission unit, wherein the receiving unit is adapted to receive the content being encrypted by a content encryption key, at least one defined usage right specifying one or more usage restrictions and/or usage permissions of the content and the at least one defined usage right comprising a temporal restriction, a content encryption key being encrypted by a key encryption key associated with the recipient device and/or an operator of the recipient device, and integrity protection information for the at least one defined usage right, the processing unit is adapted to verify the integrity of the at least one usage right based on the integrity protection information, to decrypt the encrypted content encryption key with a decryption key corresponding to the key encryption key, to decrypt the encrypted content with the content encryption key in a secure environment, to apply the at least one defined usage right to the content in the secure environment, and to use the content according to the applied at least one defined usage right, ~~to restrict or block or delete the at least one defined usage right before the temporal restriction expires,~~ to generate an indication of the restricting or the blocking or the deleting, to generate at least one received usage right that is a subset of the at least one defined usage right for the indication, to restrict or block or delete the at least one defined usage right before the temporal restriction expires, and the transmission unit is adapted to send

~~the indication comprising the at least one received usage right to the user device, wherein the recipient device restricts or blocks or deletes the at least one defined usage rights, generates the indication of the restricting or the blocking or the deleting, generates the at least one received usage right that is a subset of the at least one defined usage right for the indication, and sends the indication comprising the at least one received usage right to the user device in sequence one after another.~~

21. (Previously Presented) The recipient device according to claim 20, wherein the processing unit is adapted to generate an alert if the integrity of the at least one defined usage right is violated and to initiate an indication of the alert at an output unit.

22-23. (Canceled)

24. (Previously Presented) The recipient device according to claim 20, wherein the receiving unit is adapted to receive the at least one defined usage right and associated authorization information indicating a rights issuer authorization from a rights server and the processing unit is adapted to verify the rights issuer authorization based on the received authorization information.

25 -28 (Canceled)

29. (Currently Amended) A method for control of usage of content, wherein protected content exists being usage restricted by one or more first usage rights specifying one or more usage restrictions and/or one or more usage permissions of the protected content at a user device, the method comprising the steps of:

- obtaining at the user device a first content encryption key,
- obtaining the content at the user device from the protected content in accordance with the one or more first usage rights by decrypting the protected content by a first content encryption key in a first secure

environment of the user device and by accessing the decrypted content in the first secure environment,

- defining at least one usage right at the user device, the at least one defined usage right specifying one or more usage restrictions and/or one or more usage permissions of the content at a recipient device and the at least one defined usage right comprising a temporal restriction,
- verifying that the at least one defined usage right is a subset of the one or more first usage rights,
- generating at the user device integrity protection information for the at least one defined usage right,
- encrypting the content with a content encryption key,
- obtaining at the user device a key encryption key associated with the recipient device and/or an operator of the recipient device,
- encrypting the content encryption key with ~~[[a]]~~ the key encryption key ~~associated with the recipient device and/or an operator of the recipient device,~~
- communicating the encrypted content, the at least one defined usage right, the encrypted content encryption key, and the integrity protection information to the recipient device,
- restricting the one or more first usage rights in consequence of the definition and/or the communication of the at least one defined usage right to the recipient device,
- verifying at the recipient device the integrity of the at least one defined usage right based on the integrity protection information,
- decrypting at the recipient device the encrypted content encryption key with a decryption key corresponding to the key encryption key,
- decrypting the encrypted content with the content encryption key in a secure environment of the recipient device,
- applying the at least one defined usage right to the content in the secure environment,

- using the content at the recipient device according to the applied at least one usage right,
- ~~- restricting or blocking or deleting the at least one defined usage right at the recipient device before the expiry of the temporal restriction,~~
- generating by the recipient device at least one received usage right that is a subset of the at least one defined usage right,
- restricting or blocking or deleting the at least one defined usage right at the recipient device before the expiry of the temporal restriction,
- communicating an indication of the restricting or blocking or deleting from the recipient device to the user device, the indication comprising the at least one received usage right, without returning the encrypted content to the user device,
- applying the at least one received usage right at the user device after the receipt of the indication from the recipient device until the expiry of the temporal restriction, and
- abolishing the restriction of the one or more first usage rights when the temporal restriction expires, ~~wherein the restricting, blocking or deleting step, the second generating step, the second communicating step, the second applying step, and the abolishing step are executed in sequence one after another.~~

30. (New) A method for control of usage of content, wherein protected content exists being usage restricted by one or more first usage rights specifying one or more usage restrictions and/or one or more usage permissions of the protected content at a user device, the method comprising the steps of

- obtaining at the user device a first content encryption key,
- obtaining the content at the user device from the protected content in accordance with the one or more first usage rights by decrypting the protected content by [[a]] the first content encryption key in a first secure environment of the user device and by accessing the decrypted content in the first secure environment,

- defining at least one usage right at the user device, the at least one defined usage right specifying one or more usage restrictions and/or one or more usage permissions of the content at a recipient device and the at least one defined usage right comprising a temporal restriction,

- verifying that the at least one defined usage right is a subset of the one or more first usage rights,

- generating at the user device integrity protection information for the at least one defined usage right,

- encrypting the content with a content encryption key,

- obtaining at the user device a key encryption key associated with the recipient device,

- encrypting the content encryption key with [[a]] the key encryption key associated with the recipient device and/or an operator of the recipient device,

- communicating the encrypted content, the at least one defined usage right, the encrypted content encryption key, and the integrity protection information to the recipient device,

- restricting the one or more first usage rights in consequence of the definition and/or the communication of the at least one defined usage right to the recipient device,

- verifying at the recipient device the integrity of the at least one defined usage right based on the integrity protection information,

- decrypting at the recipient device the encrypted content encryption key with a decryption key corresponding to the key encryption key,

- decrypting the encrypted content with the content encryption key in a secure environment of the recipient device,

- applying the at least one defined usage right to the content in the secure environment,

- using the content at the recipient device according to the applied at least one usage right,

- restricting or blocking the at least one defined usage right at the recipient device before the expiry of the temporal restriction,

- generating by the recipient device at least one received usage right that is a subset of the at least one defined usage right,
- communicating an indication of the restricting or blocking from the recipient device to the user device, the indication comprising the at least one received usage right,
- applying the at least one received usage right at the user device after the receipt of the indication from the recipient device until the expiry of the temporal restriction, and
- abolishing the restriction of the one or more first usage rights when the temporal restriction expires, wherein the restricting or blocking step, the second generating step, the second communicating step, the second applying step, and the abolishing step are executed in sequence one after another.